



You'll thrill with the new 1952 STYLE TREND

Two-thirds of your house is wall space, and what you do with it will determine the atmosphere of your home. Wallpaper is the most economical means of giving rooms the personality you desire—of keeping them inviting at all times. Nothing else will do so much to improve the appearance—and yet no other improvement will cost so little.

Wallpaper will solve any decorating problem; the optical illusions which it can work are endless. With proper use it can give light and color to gloomy rooms, soften and shade rooms that are bright ... make large rooms seem smaller, and give small rooms an air of spaciousness. Ceilings can be made to seem higher or lower with the use of the right wallpapers. The endless variations of color and pattern enable you to achieve the most effective background for your furnishings, no matter what their style or period. No other wall treatment offers such wide means of expressing your own individuality.

Hang it Yourself It's EASY... DOUBLE YOUR SAVINGS

Papering a room doesn't require professional skill, and very little special equipment is needed. Every year thousands of men and women paper their homes for the first time and are surprised to find how easy it is. You, too, can turn out a professional-looking job, even if you've never hung wallpaper before. Moreover, you'll be delighted with the amount you can save by doing your own work. You can buy enough paper for 6 rooms and hang it yourself for less than it costs to buy paper for one room and have it hung. Once you discover how simple and inexpensive it really is, you'll want to repaper the whole house-give all of it a fresh new look.

Style Trend Wallpapers are easy to hang because they are made with a special Handee Trim Edge—a perforated margin which tears off just like a postage stamp. It saves time, and helps you to achieve a neat, attractive job.

HOW TO HANG WALLPAPER!

PREPARING THE WALLS



- 1. If necessary to remove old wallpaper because of too many layers or loose paper, apply hot water with sponge until thoroughly saturated Then, with wall scraper, scrape off as much paper as possible before applying more water.
- Painted walls having a gloss surface should be washed with ammonia diluted with six parts water, rinsed thoroughly and allowed to dry. Then apply size. Walls painted with resinous paints only require sizing
- 3. Fill all cracks, xevices and nail holes with slow drying, non-shinking patching plater. After dry, smooth with sandpaper wrapped around block of wood. To prevent reopening of large cracks, cover with Craftway Instant Gummed Cloth Tape.
- Sizing seals porous walls and makes an adhesive surface to which paper will stick better. If uncertain of condition of your walls, it is best to size. Buy prepared size, mix with warm water and brush a thin coat evenly over the entire surface.

PAPERING THE CEILING



Drive a tack at each end of coining at a point from sidewall (along which strip is to be posted) which is 2 inches less than width of trammed strip. Draw chalk line tightly between tacks and snop against ceiling. The 2-inch allowance for unevenness in walk is 'apped on

With naif of pasted strip unloided, apply paper to ceiling, with outer edge along chalk line. When in position, use an extra roll of paper to support unicladed end. Use smoothing brush from right to left, smoothing pruper turnly into joint between with and ceiling.

Unfold and apply second half of strip, carefully keeping outer edge along chalk line. Smooth paper firmly, as before Hang next strip, using first as a guide. Wipe off any paste cozing out at seams and roll seams some as instructed for side wall.





Cut first strip slightly longer than height of wall and lay face up on table. Unroll paper for second strip, but before cutting, place left edge of second strip along right edge of airst, being sure pattern is matching.

Cut succeeding stripe in same manner, matching each with preceding strip. Then turn entire stack of paper lace down without reversing ends, and place at rear of table. All stripe are to be pasted and hung in same order as Cot.





Take top strip to front of table, letting edge and end extend about 1/8 inch over edge of table. With the caste brush, beginning at the lett, apply paste down the center of the strip as far as table length permits, then prash out to the edges.

Pick up the corners of pasted end of strip and fold over balance of pasted area. Do not crease at fold Be sure that both upper and lower edges of paper are exactly even for entire length. Next, teur oil from the Hundee Trum edge or use a straight board and sharp pointed finite. Remove only left edge if you are going to hang by lapping second strip over first. Trum both edges if you wish to butt secons.

Mount ladder or platform and untild top hail of strip Flace upper right-hand edge against chalk line. Then raise or lower left-hand side until edge of strip is exactly even with chalk line for entire length.



de pasted half to end of table, and apply paste to mainder of strip and fold over as before. Check adges to see they are even. This is very impornt so that the edges when trimmed, will be perfectly adalt.

To get a truly vertical start, run plumb line thru chalk, then hang chalked line and plumb bob from top of wall to the right of corner or door, at a point 1/2 inch less than the width of trimmed paper. Snap chalk line against wall.

Now, with smoothing brush in right hand, amooth out top part of paper. Left hand may be used to guide paper against door frame or around corner. Carefully smooth out wrinkles or air bubbles.

Proceed to hang remaining strips in the same order they were cut. When hanging each strip, be sure pattern matches perfectly. For butt seam job, join strips edge to edge by simply pushing them together on the wall.

When turning corner, trim strip so that it extends about one inch on next wall. Smooth paper firmly into corner. Then use remainder of cut-off strip as the next strip, butting the secon.



et, unfold the bottom portion of strip carefully, ping right-hand edge along chalk line. Smooth writikles and air bubbles as before. Work and are paper against door frame.

With a slightly damp, clean cloth or sponge, wipe off any poster that oozed out at the seams. It must be, removed immediately, as it cannot be removed after at is dry. To hang border, cut into convenient length strips, posts, fold and frim same as for the side wall. Hang border from right to left, keeping top very close and parallel to the ceiling. Then smooth out with smoothing brush.



55%

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$8.94

* * *

Double Roll
16 yds. long ____\$1.10

Border to match, yd. ____9c

Style Inend. Style Inend. DEGIRA

NUMBER 2033

* * Fedeproof Colors

* * HANDEE Trim Edge



Style Thered Style Thered DESIGN

NUMBER 2032

* * Fadeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

45%

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$7.22

* * *

Double Roll

16 yds. long _____90c

Border to match, yd. _____7c







45#

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$7.22

* * *

Double Roll

16 yds. long _____90c

Border to match, yd. _____7c

Style Trend, DESIGN

NUMBER 2031

* * Fadeproof Colors

* * HANDEE Trim Edge



Style Inend Style Inend

NUMBER 2029

* * Fedeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Febrics.

58¢

SINGLE ROLL

* * *

Approximate
cost of room
10x12 ft. \$9.55

Double Roll
16 yds. long \$1.16

Border to

match, yd. 9c



60¢

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$9.75

天天天

Double Roll 16 yds. long \$1.20

Border to match, yd. ______9c

Style Trend Style Trend DESIGN

NUMBER 2027

* * Fadeproof Colors

* * HANDEE Trim Edge



CHESIGN.

NUMBER 2025

* * Fadeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

425

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.92

* * *

Double Roll

16 yds. long _____84c

3order to match, yd. _____7c



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.92

* * *

Double Roll

16 yds. long _____84c

Border to natch, yd. _____7c

Syle Ineual DESIGN

NUMBER 2026

* * Fadeproof Colors

* * HANDEE Trim Edge



Style Twend DESIGN

NUMBER 2037

* * Fadeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

48 ¢

SINGLE ROLL

A A A	
Approximate	
cost of room	
10×12 ft. \$7.65	9
* * *	
Double Roll	
16 yds. long	C

match, yd.7c

Border to



48\$

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$7.65

* * *

Syle Inend Syle Inend DESIGN

NUMBER 2024

* * Fadeproof Colors

* * HANDEE Trim Edge



CHIE Mand OHDESIGN

NUMBER 2023

* * Fadeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

39\$

SINGLE ROLL

Approximate cost of room 10x12 ft. \$6.48

* * *

Double Roll

16 yds. long ______786

Border to match, yd. _____7c



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.48

* * *

Double Roll

16 yds. long _____ 78c

Border to

match, yd. _____7c

Style Insud. Style Insud.

NUMBER 2022

* * Fadeproof Colors

* * HANDEE Trim Edge



48\$

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$7.65

* * *

Double Roll
16 yds. long........96c



NUMBER 2020

* * Fadeproof Colors

* * HANDEE Trim Edge



Chile Thend SHIPE SIGN

NUMBER 2017

* * Fedeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

429

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.92

* * *

Double Roll

16 yds. long _____84c

Border to match, yd. _____7c



SINGLE ROLL

m 5

* * *

Approximate cost of room 10x12 ft. \$6.92

* * *

Double Roll

16 yds. long _____84c

Border to match, yd. _____7e

Style Trend DE SIGN

NUMBER 2016

* * Fedeproof Colors

* * HANDEE Trim Edge



CHOESIGN.

NUMBER 2015

* * Fadeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

55\$

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$8.94

* * *

Double Roll
16 yds. long ___\$1.10

Border to match, yd. ____9c



55%

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$8.94

* * *

Double Roll 16 yds. long ___\$1.10

Border to match, yd. ____9c

Style Themed DESIGN

NUMBER 2014

* * Fedeproef Colors

* * HANDEE Trim Edge



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$7.65

* * *

Double Roll
16 yds. long 96c

Border to match, yd.7c

Style Tuesd Style Tuesd DESIGN

NUMBER 2013

* * Fadeproof Colors

* * HANDER Trim Edge



399

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.48

* * *

Double Roll
16 yds. long _____**78c**

Border to match, yd. _____7c

Swels Irend Swels Irend DESIGN

NUMBER 2012

* * Fadeproof Colors

* * HANDEE Trim Edge



33%

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$5.46

* * *

Double Roll

16 yds. long _____66c

Border to match, yd. _____6c

Style Inena

NUMBER 2011

* * Fadeproof Colors

* * HANDEE Trim Edge



Style Towned DESIGN

NUMBER 2009

* * Fadeproof Colors

* * HANDEE Trim Edge

Expertly designed and colored to harmonize with Draperies, Rugs and Furniture Fabrics.

39\$

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.48

* * *

Double Roll

16 yds. long _____**78c**

Border to match, yd. _____7c



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$6.48

* * *

Double Roll

16 yds. long _____ 78c

Border to

match, yd. _____7c

Style Trend Style Trend DESIGN

NUMBER 2010

* * Fadeproof Colors

* * HANDEE Trim Edge



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$5.94

* * *

Double Roll
16 yds. long _____70c

Border to match, yd. ____61/2c

Style Inend

NUMBER 2008

* * Fodeproof Colors

* * HANDEE Trim Edge



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$4.98

* * *

Double Roll

16 yds. long _____58c

Border to match, yd. ____51/2c

SHIETHERU SHEET BERNE

NUMBER 2007

* * Fadeproof Colors

* * HANDEE Trim Edge



33%

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$5.46

* * *

Double Roll

16 yds. long ____66c

Border to match, yd. ____6c

Style Trend

NUMBER 2005

* * Fadeproof Colors

* * HANDEE Trim Edge



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft.\$4.98

* * *

Style Inend Style Inend

NUMBER 2004

* * Fedeproof Colors

* * HANDEE Trim Edge



SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$4.58

* * *

Double Roll

16 yds. long _____**54c**

Border to match, yd. ____51/2c

Syle Trend DESIGN

NUMBER 2003

* * Fadeproof Colors

* * HANDEE Trim Edge



25%

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$4.33

* * *

Border to match, yd.51/2c

Style Trend DESIGN

NUMBER 2002

* * Fedeproof Colors

* * HANDEE Trim Edge



224

SINGLE ROLL

* * *

Approximate cost of room 10x12 ft. \$3.95

* * *

Double Roll
16 yds. long......44c

Border to match, yd.**5c**



NUMBER 2001

* * Fadeproof Colors

* * HANDEE Trim Edge



195

SINGLE BOLL

* * *

Approximate cost of room 10x12 ft. \$3.50

* * *

Double Roll

16 yds. long ______

Border to match, yd. ____5c



NUMBER 2000

* * Fedeproof Colors

* * HANDEE Trim Edge

Tools and Supplies for the Paperhanger



MARVEL
WALLPAPER
PASTE
44c
2 Lb. Bag

Mix 2 pounds powder with 9 pints water—makes enough paste for walls and ceilings of an average room. Marvel Paste mixes easily and quickly... spreads smoothly... won't lump or sour paper—vermin proof. Dries slowly enough to permit sliding paper on wall to match pattern. When papering more than one room buy the large 5 pound size for only **99c.**

GUM CLOTH TAPE



. . Gummed Cloth Wet and apply.

For large cracks in wall or ceiling.

49c Roll




MARVEL
WALL SIZE
33c
Lb. Package

Powder form. Mix 1 pound with 6 quarts of water for enough size to cover average room. Use on bare plaster walls to prevent discoloration.



12-inch Nylon SMOOTHING BRUSH \$1.15

A good working brush of light weight, smooth yet firm, and is recommended for every kind of paper.



\$1.89

Includes all essential tools and directions for paperhanging consisting of smoother, paste brush, seam roller, wall scraper, casing wheel, chalk line and chalk.

SWITCH PLATE SHIELD



- . . . Fits all light
- . . . Keeps wall clean.
- . . . Transparent
- ... Non inflammable.

10c FOR SINGLE SWITCH DOUBLE SWITCH 20c



POSTAGE C

Style-Trend
UENLPAPERS

can hang it yourself faster and easier than you ever dreamed possible.

As illustrated-Pattern No. 1037 White background with red, blue and yellow tulips - daisies and ivy vines. Pattern has a heavy coat of varnish which makes it very practical for the service rooms of your home.

Single roll - 49c

Band Border to match - 9c per yard



Digitized by




ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA



ith Style-Trend Wallbeen designed so you ian you ever dreamed

background with red, y vines. Pattern has very practical for the

U. S. POSTAGE
P A I D
Permit No. 242
LA CROSSE, WIS.